Printing date 11/14/2022

Reviewed on 11/14/2022

1 Identification

- · Product identifier
- · Trade name: <u>SODIUM ETHYLATE</u>
- Article number: 21150
- · CAS Number:
- 141-52-6
- *EC number:* 205-487-5
- · Index number:
- 603-041-00-8
- · Application of the substance / the mixture Laboratory chemicals

• Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Electron Microscopy Sciences 1560 Industry Road USA-Hatfield, PA 19440 Tel: 215-412-8400 Fax: 215-412-8450 email: sgkcck@aol.com www.emsdiasum.com

· Information department: Product safety department

• Emergency telephone number:

ChemTrec 1-800-424-9300 Contract <u>CCN7661</u> 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Solids 1H228 Flammable solid.Self-heating substances and mixtures 1H251 Self-heating: may catch fire.

GHS05 Corrosion

Skin Corrosion 1B Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling:* sodium ethanolate

(Contd. on page 2)

[–] US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

	(Contd. of page 1)
Hazard statements	
Flammable solid.	
Self-heating: may catch fire.	
Causes severe skin burns and eye damage.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep cool. Protect from sunlight.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wi	th water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact le	enses, if present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store locked up.	
Maintain air gap between stacks/pallets.	
Store bulk masses greater than 10 lbs at temperatures not exceeding 60°F.	
Store away from other materials.	
Dispose of contents/container in accordance with local/regional/national/internal	tional regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
$\frac{3}{Fire = 3}$	
$\begin{array}{c} 3 \\ 0 \\ Reactivity = 0 \end{array}$	
$\mathbf{V} \mathbf{V} \mathbf{K} = \mathbf{U}$	
HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & \textbf{3} \\ \end{array} Health = 3 \\ \end{array}$	
FIRE 3 $Fire = 3$	
REACTIVITY 3 $Reactivity = 3$	
Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	
Chemical characterization: Substances	
CAS No. Description	
141-52-6 sodium ethanolate	
Identification number(s)	
EC number: 205-487-5	

- EC number: 205-487-5
- Index number: 603-041-00-8

(Contd. on page 3)

US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1: $1.2 mg/m^{3}$ · PAC-2: 13 mg/m^3 · PAC-3:

79 mg/m³

(Contd. on page 4)

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Thorough dedusting. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US -

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:	
Form:	Powder
Color:	Beige
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	30 °C (86 °F)
Flammability (solid, gaseous):	Product is not flammable.
Ignition temperature:	30-50 °C (86-122 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	0.88 g/cm ³ (7.3436 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
VOC content:	0.00 %
Solids content:	100.0 %

US -

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)

US -

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN3095
UN proper shipping name	
DOT ADR	Corrosive solids, self-heating, n.o.s. (sodium ethanolate) 3095 CORROSIVE SOLID, SELF-HEATING, N.O.S. (sodiu ethanolate)
IMDG, IATA	CORROSIVE SOLID, SELF-HEATING, N.O.S. (sodiu ethanolate)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8, 4.2
ADR	
Class	8 Corrosive substances
Label	8+4.2
IMDG	
	8 Corrosive substances

(Contd. of page 6)

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

	(Contd. of page
Label	8/4.2
· IATA	
· Class	8 Corrosive substances
· Label	8 (4.2)
· Packing group · DOT, ADR, IMDG, IATA	1
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	· 889
· EMS Number:	F-A,S-N
· Stowage Category	D
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 kg
	On cargo aircraft only: 25 kg
· <i>ADR</i>	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· IMDG	
\cdot Limited quantities (LQ)	0
\cdot Excepted quantities (\widetilde{EQ})	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 3095 CORROSIVE SOLID, SELF-HEATING, N.O., (SODIUM ETHANOLATE), 8 (4.2), I

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

(Contd. on page 9)

US

Printing date 11/14/2022

· Proposition 65

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

(Contd. of page 8)

· Chemicals known to cause cancer:

Substance is not listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: sodium ethanolate · Hazard statements Flammable solid. Self-heating: may catch fire. Causes severe skin burns and eye damage. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep cool. Protect from sunlight. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store locked up.

(Contd. on page 10)

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: SODIUM ETHYLATE

(Contd. of page 9)

Maintain air gap between stacks/pallets. Store bulk masses greater than 10 lbs at temperatures not exceeding 60°F. Store away from other materials.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

· Date of preparation / last revision 11/14/2022 / -· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flammable Solids 1: Flammable solids – Category 1 Self-heating substances and mixtures 1: Self-heating substances and mixtures – Category 1 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation – Category 1