Printing date 11/23/2022 Reviewed on 11/23/2022

1 Identification

· Product identifier

· Trade name: EMS Rapid Pro Solution 4

· Article number: 26750-04

· Application of the substance / the mixture Laboratory chemicals

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Electron Microscopy Sciences

1560 Industry Road USA-Hatfield, PA 19440

Tel: 215-412-8400 Fax: 215-412-8450

email: sgkcck@aol.com www.emsdiasum.com

· Information department: Product safety department

· Emergency telephone number:

ChemTrec 1-800-424-9300 Contract CCN7661

1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard



GHS02 Flame

Flammable Liquids 2

Carcinogenicity 1A

H225 Highly flammable liquid and vapor.



H350 May cause cancer.

Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Ethyl alcohol

Methyl Alcohol

· Hazard statements

Highly flammable liquid and vapor.

May cause cancer.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Obtain special instructions before use.

(Contd. on page 2)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 1)

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0

Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 *0 Health = *0

Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangero	· Dangerous components:	
64-17-5	Ethyl alcohol	>50-≤100%
67-56-1	Methyl Alcohol	>2.5-≤10%
67-68-5	DMSO	<i>≤</i> 2.5%

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. (Contd. on page 3)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 Ethyl alcohol	1,800 ppn
67-56-1 Methyl Alcohol	530 ppm
67-68-5 DMSO	150 ppm
· PAC-2:	
64-17-5 Ethyl alcohol	3300* ppn
67-56-1 Methyl Alcohol	2,100 ppm
67-68-5 DMSO	290 ррт
· PAC-3:	
64-17-5 Ethyl alcohol	15000* ppn
67-56-1 Methyl Alcohol	7200* ppm
67-68-5 DMSO	1,800 ppm

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:	
64-17-5 Ethyl alcohol	

PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm

A3

67-56-1 Methyl Alcohol

	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm
	Long-term value: 260 mg/m³, 200 ppm
	CI ·

Skin

TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

67-68-5 DMSO

WEEL Long-term value: 250 ppm

· Ingredients with biological limit values:

67-56-1 Methyl Alcohol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

 $The \ glove \ material \ has \ to \ be \ impermeable \ and \ resistant \ to \ the \ product / \ the \ substance / \ the \ preparation.$

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solution
Color: Clear

Odor: Alcohol-like
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range: $78 \,^{\circ}C \, (172.4 \,^{\circ}F)$ • Flash point: $16.6 \,^{\circ}C \, (61.9 \,^{\circ}F)$

· Flammability (solid, gaseous): Highly flammable.

Till total Co.

(Contd. on page 6)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

	(Contd. of page
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.7962 g/cm³ (6.64429 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	100.00 %
	796.2 g/l / 6.64 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
	•	l Alcohol
Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

(Contd. on page 7)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 6)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 Ethyl alcohol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1987

(Contd. on page 8)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

- UN proper shipping name DOT Alcohols, n.o.s. (Ethanol, Methanol) 1987 ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) - IMDG ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) - IATA ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) - IATA - Transport hazard class(es) - DOT - Class - Label - ADR, IMDG, IATA - Class - Label - 3 - Facking group - DOT, ADR, IMDG, IATA - Environmental hazards: - Special precautions for user - Hazard identification number (Kemler code): 33 - EMS Number: - Stowage Category - Transport in bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code - Transport In bulk according to Annex II of MARPOLT378 and the IBC Code		(Contd. of pag
ADT Alcohols, n.o.s. (Ethanol, Methanol) ADR ADR ADR ADR ACOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL) METHANOL) ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL) METHANOL) ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Transport hazard class(es) DOT Class Class 3 Flammable liquids 3 ADR, IMDG, IATA Label 3 Packing group DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: FresD Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport Madditional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Linited quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml IMDG Limited quantities (LQ) Linited quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml	UN proper shipping name	
ADR 1987 ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) IMDG ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) IATA ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Transport hazard class(es) DOT ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Class 3 Flammable liquids 3 ADR, IMDG, IATA II III I		Alcohols, n.o.s. (Ethanol, Methanol)
IMDG ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) IATA ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Transport hazard class(es) DOT Class 3 Flammable liquids 3 ADR, IMDG, IATA Class 3 Flammable liquids 3 ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOLT3478 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml MAXimum net quantity per inner packaging: 500 ml IMDG Limited quantities (LQ) Limited quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml		
ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL METHANOL) IATA ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Transport hazard class(es) DOT Class 3 Flammable liquids 3 ADR, IMDG, IATA Class 3 Flammable liquids 3 Packing group DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code); 33 F-EMS Number: F-ES-D Stowage Category B Transport in bulk according to Annex II of MARPOL73178 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) IL Excepted quantities (LQ) Limited quantities (LQ) IL Excepted quantities (EQ) Inimited quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml		
IATA ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Transport hazard class(es) DOT Class 3 Flammable liquids 3 ADR, IMDG, IATA Class 3 Flammable liquids 3 ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MarPOL73/78 and the IBC Code Transport Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L, On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Limited quantities (LQ) Limited quantities (LQ) Limited quantities (LQ) ILL Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml	· IMDG	
ALCOHOLS, N.O.S. (ETHANOL, METHANOL) Transport hazard class(es) DOT Class Class Ja Flammable liquids ADR, IMDG, IATA Class Ja Flammable liquids ADR, IMDG, IATA Class Ja Flammable liquids ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): ST EMS Number: FLS-D Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml IMDG Limited quantities (EQ) Limited quantities (EQ) Excepted quantities (EQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ) Adaximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml	1.112-0	
Transport hazard class(es) DOT Class 3 Flammable liquids - Label 3 ADR, IMDG, IATA Class 3 Flammable liquids - Label 3 Packing group - DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG - Limited quantities (EQ) IL Excepted quantities (EQ) IL Excepted quantities (EQ)	IATA	
Class 3 Flammable liquids - Label 3 ADR, IMDG, IATA Class 3 Flammable liquids - Label 3 Class 3 Flammable liquids - Label 3 Packing group - DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG - Limited quantities (EQ) Limited quantities (EQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml		Theoriotis, 14.0.5. (ETIMITOL, INTITITIVOL)
Class 3 Flammable liquids 3 ADR, IMDG, IATA Class 3 Flammable liquids Class 3 Flammable liquids Class 3 Flammable liquids 3 Packing group DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml IMDG Limited quantities (EQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	- · · · ·	
- Label 3 - ADR, IMDG, IATA - Class	DOT	
- Label 3 - ADR, IMDG, IATA - Class		
- Label 3 - ADR, IMDG, IATA - Class	3	
- Label 3 - ADR, IMDG, IATA - Class 3 Flammable liquids - Label 3 - Packing group - DOT, ADR, IMDG, IATA II - Environmental hazards: Not applicable Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml	· Class	3 Flammable liquids
Class 3 Flammable liquids Label 3 Packing group DOT, ADR, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	Label	
- Label 3 - Packing group - DOT, ADR, IMDG, IATA II - Environmental hazards: Not applicable Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml	ADR, IMDG, IATA	
- Label 3 - Packing group - DOT, ADR, IMDG, IATA II - Environmental hazards: Not applicable Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml		
- Label 3 - Packing group - DOT, ADR, IMDG, IATA II - Environmental hazards: Not applicable Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml	<u>~</u>	
- Label 3 - Packing group - DOT, ADR, IMDG, IATA II - Environmental hazards: Not applicable Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml	3	
- Label 3 - Packing group - DOT, ADR, IMDG, IATA II - Environmental hazards: Not applicable Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category B - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml		
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Limited quantities (LQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml	Class	3 Flammable liquids
- DOT, ADR, IMDG, IATA - Environmental hazards: - Special precautions for user - Hazard identification number (Kemler code): 33 - EMS Number: - Stowage Category - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code - Transport/Additional information: - DOT - Quantity limitations - On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - ADR - Excepted quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml	Label	
**Special precautions for user		.,,
Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml	DOT, ADR, IMDG, IATA	II .
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	Environmental hazards:	Not applicable.
EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml		
Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml	Hazard identification number (Kemler code):	: 33
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Code: E2 Maximum net quantity per inner packaging: 30 ml	EMS Number:	F-E,S-D
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	Stowage Category	B
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	Transport in hulk according to Anney II of	
DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml		Not applicable.
• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L • ADR • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml	Transport/Additional information:	
• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L • ADR • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	DOT	
On cargo aircraft only: 60 L ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml		On passenger aircraft/rail: 5 L
· ADR · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Location Code: E2 Maximum net quantity per inner packaging: 30 ml	~ y	
 Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 	· · ADR	
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		Code: F2
 Maximum net quantity per outer packaging: 500 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml 	Excepted quantities (EQ)	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		
 Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml 	· · IMDG	- -
• Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		11
Maximum net quantity per inner packaging: 30 ml		
	Excepted quantities (EQ)	
Maximum net quantity per outer packaging: 500 ml		Maximum net quantity per inner packaging: 30 ml
		14

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 8)

· UN "Model Regulation":

UN 1987 ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL), METHANOL), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-56-1 Methyl Alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

67-56-1 Methyl Alcohol

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethyl alcohol

67-56-1 Methyl Alcohol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 Ethyl alcohol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: Ethyl alcohol

(Contd. on page 10)

Printing date 11/23/2022 Reviewed on 11/23/2022

Trade name: EMS Rapid Pro Solution 4

(Contd. of page 9)

Methyl Alcohol

· Hazard statements

Highly flammable liquid and vapor.

May cause cancer.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact:
- · Date of preparation / last revision 11/23/2022 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Carcinogenicity 1A: Carcinogenicity - Category 1A

Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2