Printing date 01/04/2023

Reviewed on 01/04/2023

1 Identification

- · Product identifier
- · Trade name: WENOL METAL POLISH
- Article number: 71832
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Electron Microscopy Sciences 1560 Industry Road USA-Hatfield, PA 19440 Tel: 215-412-8400 Fax: 215-412-8450 email: sgkcck@aol.com www.emsdiasum.com
- · Information department: Product safety department • Emergency telephone number:
- ChemTrec 1-800-424-9300 Contract CCN7661 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 3 Substances and mixtures which, in contact with water, emit flammable gases 1

GHS08 Health hazard

Germ Cell Mutagenicity 1B

H226 Flammable liquid and vapor. H260 In contact with water releases flammable gases, which may ignite spontaneously.

GHS05 Corrosion

Carcinogenicity 1B Specific Target Organ Toxicity - Repeated Exposure 1 H340 May cause genetic defects. H350 May cause cancer.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.


H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

Eye Damage 1 · Label elements

Skin Corrosion 1B

Aspiration Hazard 1

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



(Contd. on page 2)

US

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

Signal word Danger	(Contd. of page 1)
Hazard-determining components of labeling:	
Naphtha (petroleum), hydrodesulfurized heavy	
ammonia, anhydrous	
Kerosine (petroleum)	
coconut oil diethanolamine condensate	
Hazard statements	
Flammable liquid and vapor.	
In contact with water releases flammable gases, which may ignite spontaneously.	
Causes severe skin burns and eye damage.	
May cause genetic defects.	
May cause cancer.	
Causes damage to the central nervous system through prolonged or repeated exposure.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Do not allow contact with water.	
Handle under inert gas. Protect from moisture.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/si	hower
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	nower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	resent and easy to do
Continue rinsing.	resem und edsy 10 do.
IF exposed or concerned: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, sand, extinguishing powder to extinguish.	
Store in a dry place. Store in a closed container.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regi	lations
Classification system:	ildilons.
NFPA ratings (scale 0 - 4)	
$2 \qquad Health = 3$	
$\frac{3}{2}$ Fire = 2	
Reactivity = 2	
AA	

The substance demonstrates unusual reactivity with water.

(Contd. on page 3)

US

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
8008-20-6 Kerosine (petroleum)	>10-≤25%	
64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy	>10-≤25%	
68603-42-9 coconut oil diethanolamine condensate	>10-≤25%	
7664-41-7 ammonia, anhydrous	>2.5-≤10%	

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *For safety reasons unsuitable extinguishing agents: Water*

- For safely reasons unsultable exanguishing agents: water
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

(Contd. on page 4)

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

(Contd. of page 3)

Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Inform respective authorities in case of seepage into water course or sewage system.	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Do not flush with water or aqueous cleansing agents	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
See Section 13 for disposal information. Protective Action Criteria for Chemicals	
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1:	
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1:	15 mg/m
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 1344-28-1 aluminium oxide	15 mg/m 30 ppm
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 1344-28-1 aluminium oxide 7664-41-7 ammonia, anhydrous	_
See Section 13 for disposal information.	15 mg/m 30 ppm 170 mg/m
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 1344-28-1 aluminium oxide 7664-41-7 ammonia, anhydrous PAC-2:	30 ppm
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 1344-28-1 aluminium oxide 7664-41-7 ammonia, anhydrous PAC-2: 1344-28-1 aluminium oxide	30 ppm 170 mg/m
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 1344-28-1 aluminium oxide 7664-41-7 ammonia, anhydrous PAC-2: 1344-28-1 aluminium oxide 7664-41-7 ammonia, anhydrous	30 ppm 170 mg/m

7 Handling and storage

• Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

• *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

8008-20-6 Kerosine (petroleum)

REL Long-term value: 100 mg/m³ Kerosine only

TLV Long-term value: 200 mg/m³ as total hydrocarbon vapor; Skin; A3

7664-41-7 ammonia, anhydrous

PEL Long-term value: 35 mg/m³, 50 ppm

- REL Short-term value: 27 mg/m³, 35 ppm Long-term value: 18 mg/m³, 25 ppm
- TLV Short-term value: 35 ppm Long-term value: 25 ppm

• *Additional information:* The lists that were valid during the creation were used as basis.

• Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US -

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

• Eye protection:



Tightly sealed goggles

Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form: Color:	Pasty Pink
Odor:	Ammonia-like
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	11.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	221 °C (429.8 °F)
Flash point:	>50 °C (>122 °F)
Flammability (solid, gaseous):	Flammable.
	Contact with water liberates extremely flammable gases.
Ignition temperature:	210 °C (410 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Spontaneously flammable in air.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	0.5 Vol %
Upper:	6.5 Vol %
Vapor pressure at 20 °C (68 °F):	2 hPa (1.5 mm Hg)
Density at 20 °C (68 °F):	1.15 g/cm³ (9.59675 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

Solids content:

35.0%

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
8008-20-6	Kerosine (petroleum)	2B
68603-42-9	coconut oil diethanolamine condensate	2B
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety Health Administration)	
None of the ingredients is listed.		

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

(Contd. of page 7)

- · *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group DOT, ADR, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 9)

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

(Contd. of page 8)

\cdot Safety, health and environmental regulations/legislation specific for the substation specific for the substat	
Section 355 (extremely hazardous substances):	
7664-41-7 ammonia, anhydrous	
Section 313 (Specific toxic chemical listings):	
1344-28-1 aluminium oxide	
7664-41-7 ammonia, anhydrous	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
68603-42-9 coconut oil diethanolamine condensate	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
1344-28-1 aluminium oxide	1
8008-20-6 Kerosine (petroleum)	

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

 Hazard-determining components of labeling: Naphtha (petroleum), hydrodesulfurized heavy ammonia, anhydrous Kerosine (petroleum) coconut oil diethanolamine condensate
Hazard statements Flammable liquid and vapor.

(Contd. on page 10)

US

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

	(Contd. of page 9)
In contact with water releases flammable gases, which may ignite spontaneously.	
Causes severe skin burns and eye damage.	
May cause genetic defects.	
May cause cancer.	
Causes damage to the central nervous system through prolonged or repeated exposure.	
May be fatal if swallowed and enters airways.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Do not allow contact with water.	
Handle under inert gas. Protect from moisture.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present of	and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, sand, extinguishing powder to extinguish.	
Store in a dry place. Store in a closed container.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
·National regulations:	
· Information about limitation of use:	

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

· Date of preparation / last revision 01/04/2023 / -

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

US -

Printing date 01/04/2023

Reviewed on 01/04/2023

Trade name: WENOL METAL POLISH

(Contd. of pa	ge 10)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Substances and mixtures which, in contact with water, emit flammable gases 1: Substances and mixtures which in contact with water	er emit
flammable gases – Category 1	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B	
Carcinogenicity 1B: Carcinogenicity – Category 1B	
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1	
Aspiration Hazard 1: Aspiration hazard – Calegory 1	
	US